

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	graphic near3 (display interface) same (memory near3 (parameter and (connect\$4 communicat\$4 data source bind\$4 reference)) and (configurat\$4 near3 (database entity engine))) and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:00
S2	1	10/591804	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:03
S3	89	graphic near3 (display interface) and (memory near3 (parameter and (connect\$4 communicat\$4 data source bind\$4 reference)) and (configurat\$4 near3 (database entity engine))) and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:11
S4	9	"700"/\$ and graphic near3 (display interface) and (memory near3 (parameter and (connect\$4 communicat\$4 data source bind\$4 reference)) and (configurat\$4 near3 (database entity engine))) and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:12
S5	1	"703"/\$ and graphic near3 (display interface) and (memory near3 (parameter and (connect\$4 communicat\$4 data source bind\$4 reference)) and (configurat\$4 near3 (database entity engine))) and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:12

S6	4	"715"/\$ and graphic near3 (display interface) and (memory near3 (parameter and (connect\$4 communicat \$4 data source bind\$4 reference)) and (configurat \$4 near3 (database entity engine))) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:12
S7	1	"719"/\$ and graphic near3 (display interface) and (memory near3 (parameter and (connect\$4 communicat \$4 data source bind\$4 reference)) and (configurat \$4 near3 (database entity engine))) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:12
S8	5	"340"/\$ and graphic near3 (display interface) and (memory near3 (parameter and (connect\$4 communicat \$4 data source bind\$4 reference)) and (configurat \$4 near3 (database entity engine))) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:12
S9	10	"345"/\$ and graphic near3 (display interface) and (memory near3 (parameter and (connect\$4 communicat \$4 data source bind\$4 reference)) and (configurat \$4 near3 (database entity engine))) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:12
S10	8	"348"/\$ and graphic near3 (display interface) and (memory near3 (parameter and (connect\$4 communicat \$4 data source bind\$4 reference)) and (configurat \$4 near3 (database entity engine))) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:12

S11	59	graphic near3 (display interface) same (visual icon) and (memory near3 (parameter and (connect\$4 communicat\$4 data source bind\$4 reference)) and (configurat\$4 near3 (database entity engine))) and (@ad<"20040504" @rlad<"20040504"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:24
S12	6	"700"/\$ and graphic near3 (display interface) same (visual icon) and (memory near3 (parameter and (connect\$4 communicat\$4 data source bind\$4 reference)) and (configurat\$4 near3 (database entity engine))) and (@ad<"20040504" @rlad<"20040504"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:24
S13	53	"705"/\$ and graphic near3 (display interface) same (visual icon) and (memory near3 (parameter and (connect\$4 communicat\$4 data source bind\$4 reference)) and (configurat\$4 near3 (database entity engine))) and (@ad<"20040504" @rlad<"20040504"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:24
S14	0	"703"/\$ and graphic near3 (display interface) same (visual icon) and (memory near3 (parameter and (connect\$4 communicat\$4 data source bind\$4 reference)) and (configurat\$4 near3 (database entity engine))) and (@ad<"20040504" @rlad<"20040504"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:24
S15	3	"715"/\$ and graphic near3 (display interface) same (visual icon) and (memory near3 (parameter and (connect\$4 communicat\$4 data source bind\$4 reference)) and (configurat\$4 near3 (database entity engine))) and (@ad<"20040504" @rlad<"20040504"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:24

S16	0	"719"/\$ and graphic near3 (display interface) same (visual icon) and (memory near3 (parameter and (connect\$4 communicat\$4 data source bind\$4 reference)) and (configurat\$4 near3 (database entity engine))) and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:25
S17	2	"340"/\$ and graphic near3 (display interface) same (visual icon) and (memory near3 (parameter and (connect\$4 communicat\$4 data source bind\$4 reference)) and (configurat\$4 near3 (database entity engine))) and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:25
S18	5	"345"/\$ and graphic near3 (display interface) same (visual icon) and (memory near3 (parameter and (connect\$4 communicat\$4 data source bind\$4 reference)) and (configurat\$4 near3 (database entity engine))) and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:25
S19	3	"348"/\$ and graphic near3 (display interface) same (visual icon) and (memory near3 (parameter and (connect\$4 communicat\$4 data source bind\$4 reference)) and (configurat\$4 near3 (database entity engine))) and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:25

S20	0	graphic\$4 near (interface display) near3 (visual icon) same parameter near3 (memory storage storing) same (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:34
S21	1	graphic\$4 near (interface display) near3 (visual icon) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 13:36
S22	109	(visual icon graphic\$4) near (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 14:00
S23	13	(visual icon graphic\$4) near (interface display) and parameter near (memory storage storing) and (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near database and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 14:00

S24	5	(visual icon element entity object) near3 graphic\$4 near (interface display) and parameter near (memory storage storing) and (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link \$4) and configurat\$4 near database and (@ad< "20040504" @rld< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 14:44
S25	7	(visual icon element entity object) near3 graphic\$4 near (interface display) and parameter near (memory storage storing) and (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link \$4) and configurat\$4 near database and (@ad< "20040504" @rld< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 14:44
S26	6	(visual icon element entity object) near3 graphic\$4 near (interface display) and parameter near (memory storage storing) and (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link \$4) and configurat\$4 near database and (@ad< "20030504" @rld< "20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:02
S27	64	(visual icon element entity object) near3 graphic\$4 near (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link \$4) and configurat\$4 near database and (@ad< "20030504" @rld< "20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:04

S28	77	(visual icon element entity object) near3 graphic\$4 near (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link \$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:05
S29	92	(visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link \$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:05
S30	0	fisher8.as. and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:05
S31	0	fisher*.as. and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:05

S32	4	fisher-rosemount.as. and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:06
S33	88	not(fisher-rosemount.as.) and (visual icon element entity object) near3 graphic \$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:06
S34	0	not(fisher-rosemount.as.) and (visual icon element entity object) near3 graphic \$4 near3 (interface display) same parameter near3 (memory storage storing) same (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link\$4) same configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:07
S35	0	(visual icon element entity object) near3 graphic\$4 near3 (interface display) same parameter near3 (memory storage storing) same (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link\$4) same configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:07

S36	2	(visual icon element entity object) near3 graphic\$4 near3 (interface display) same parameter near3 (memory storage storing) same (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link\$4) same configurat\$4 near3 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:07
S37	10	"700"/\$ and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:08
S38	4	"702"/\$ and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:09
S39	2	"703"/\$ and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:09

S40	57	"705"/\$ and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:09
S41	18	"707"/\$ and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:09
S42	3	"715"/\$ and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:09
S43	9	"345"/\$ and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:09

S44	5	"340"/\$ and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:09
S45	4	"348"/\$ and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:10
S46	11	"719"/\$ and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:10
S47	60	(download\$4 drag\$4 and drop\$4) near3 (visual icon element entity object) and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind\$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 20:47

S48	8	"700"/\$ and (download\$4 drag\$4 and drop\$4) near3 (visual icon element entity object) and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504"@riad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 20:48
S49	3	"702"/\$ and (download\$4 drag\$4 and drop\$4) near3 (visual icon element entity object) and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504"@riad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 20:50
S50	1	"703"/\$ and (download\$4 drag\$4 and drop\$4) near3 (visual icon element entity object) and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504"@riad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 20:50

S51	6	"707"/\$ and (download\$4 drag\$4 and drop\$4) near3 (visual icon element entity object) and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504"@riad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 20:50
S52	3	"715"/\$ and (download\$4 drag\$4 and drop\$4) near3 (visual icon element entity object) and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504"@riad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 20:50
S53	6	"345"/\$ and (download\$4 drag\$4 and drop\$4) near3 (visual icon element entity object) and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504"@riad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 20:51

S54	1	"340"/\$ and (download\$4 drag\$4 and drop\$4) near3 (visual icon element entity object) and (visual icon element entity object) near3 graphic\$4 near3 (interface display) and parameter near3 (memory storage storing) and (memory storage storing) near3 (bind \$4 associat\$4 communicat\$4 connect\$4 link\$4) and configurat\$4 near3 database and (@ad<"20030504" @rlad<"20030504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 20:51
-----	---	--	---	----	----	------------------

9/ 30/ 08 7:08:20 AM

H:\ EAST\ 10591804.wsp